



**ISO 9001:2015 CERTIFIED**

**CERTIFICATE OF ANALYSIS**

|                              |  |  |  |
|------------------------------|--|--|--|
| <b>Product Name</b>          | Asp(3)-Truncated(32-29)-Calcitonin   |  |  |
| <b>Molecular Formula</b>     | C <sub>131</sub> H <sub>217</sub> N <sub>39</sub> O <sub>43</sub> S <sub>2</sub>   |  |  |
| <b>Molecular Weight</b>      | 3090.53  |  |  |
| <b>Batch Number</b>          | XX-XXXX  |  |  |
| <b>Batch Quantity</b>        | XXX  |  |  |
| <b>Date of Manufacturing</b> | DD-MM-YYYY   |  |  |
| <b>Date of Analysis</b>      | DD-MM-YYYY   |  |  |
| <b>Next Retest Date</b>      | DD-MM-YYYY   |  |  |
| <b>Catalogue Number</b>      | DCTI-D-237   |  |  |
| <b>CAS Number</b>            | NA   |  |  |
| <b>COA Number</b>            | PA-XXXX  |  |  |
| <b>IUPAC Name</b>            | H-Cys-Ser-Asp-Leu-Ser-Thr-Cys-Val-Leu-Gly-Lys-Leu-Ser-Gln-Glu-Leu-His-Lys-Leu-Gln-Thr-Tyr-Pro-Arg-Thr-Asn-Thr-Gly-NH <sub>2</sub> (Disulfide bridge between Cys1 and Cys7) |  |  |
| <b>Storage and Handling</b>  | -20±5°C protect from light and moisture  |  |  |

| Sl. No | * Test  | Result |
|--------|---|--------|
|        | <b>Description</b>                            |        |
| 1.     | Identification i) By IR ii) By NMR iii) By MS | --     |
| 2.     | Chromatographic Purity (% by HPLC)            | --     |

**Remarks:** \*Test or tests as mentioned above may vary as per the product nature or customer's requirement

| Function      | Compiled by         | Reviewed by         | Reviewed by       | Approved by       |
|---------------|---------------------|---------------------|-------------------|-------------------|
| Name          | xxx                 | xxx                 | xxx               | xxx               |
| Department    | Pharma Standards QC | Pharma Standards QC | Quality Assurance | Quality Assurance |
| Sign and Date |                     |                     |                   |                   |

|                  |   |
|------------------|---|
| Attachments      | IR, NMR, MS spectra, HPLC Chromatogram. |
| Date of Shipment | DD-MMM-YYYY                             |

CIN: U24100TG2008PTC058509  
 Servey No: 542/2, IKP Knowledge Park, Koltur Village,  
 Shamirpet Mandal, Medchal - Malkajgiri District,  
 Hyderabad - 500 101, Telangana, India.  
 Tel. No. +918418660700, Fax. +918418660730