




ISO 9001:2015 CERTIFIED      CERTIFICATE OF ANALYSIS

|                       |                                                                                                                |                                                                                      |  |
|-----------------------|----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|
| Product Name          | 2-(3,5-Dichloro-4-1,6-dihydro-5-1-methylethyl)-6-oxo-3-pyridazinyl[oxy]phenyl]-1,2,4-triazine-3,5(2H,4H)-dione |                                                                                      |  |
| Molecular Formula     | C <sub>16</sub> H <sub>13</sub> Cl <sub>2</sub> N <sub>5</sub> O <sub>4</sub>                                  |  |  |
| Molecular Weight      | 410.21                                                                                                         |                                                                                      |  |
| Batch Number          | XX-XXXX                                                                                                        |                                                                                      |  |
| Batch Quantity        | XXX                                                                                                            |                                                                                      |  |
| Date of Manufacturing | DD-MM-YYYY                                                                                                     |                                                                                      |  |
| Date of Analysis      | DD-MM-YYYY                                                                                                     |                                                                                      |  |
| Next Retest Date      | DD-MM-YYYY                                                                                                     |                                                                                      |  |
| Catalogue Number      | XX                                                                                                             |                                                                                      |  |
| CAS Number            | 920509-34-8                                                                                                    |                                                                                      |  |
| COA Number            | PA-XXXX                                                                                                        |                                                                                      |  |
| IUPAC Name            | 2-(3,5-dichloro-4-((5-isopropyl-6-oxo-1,6-dihydropyridazin-3-yl)oxy)phenyl)-1,2,4-triazine-3,5(2H,4H)-dione    |                                                                                      |  |
| Storage and Handling  | 2-8°C                                                                                                          |                                                                                      |  |

| Sl. No | * Test                                        | Result |
|--------|-----------------------------------------------|--------|
|        | Description                                   |        |
| 1.     | Identification i) By IR ii) By NMR iii) By MS | --     |
| 2.     | Chromatographic Purity (% by HPLC)            | --     |

Remarks: \*Test or tests as mentioned above may vary as per the product nature or customer's requirement

| Function      | Compiled by         | Reviewed by         | Reviewed by       | Approved by       |
|---------------|---------------------|---------------------|-------------------|-------------------|
| Name          | xxx                 | xxx                 | xxx               | xxx               |
| Department    | Pharma Standards QC | Pharma Standards QC | Quality Assurance | Quality Assurance |
| Sign and Date |                     |                     |                   |                   |

|                  |                                         |
|------------------|-----------------------------------------|
| Attachments      | IR, NMR, MS spectra, HPLC Chromatogram. |
| Date of Shipment | DD-MMM-YYYY                             |

CIN: U24100TG2008PTC058509  
Survey No: 542/2, IKP Knowledge Park, Koltur Village,  
Shamirpet Mandal, Medchal – Malkajgiri District,  
Hyderabad – 500 101, Telangana, India.  
Tel. No. +918418660700, Fax. +918418660730